

Page numbers in **bold** indicate a section heading.

Page numbers in *italics* refer to a figure or table.

~ A ~

AADT *See* Average Annual Daily Traffic
See also warrants

abutments..... 3-11, 5-14, 7-4, 7-8, **7-11**, 7-12

access approach 4-7, **4-9**

Alberta Weak Post W-Beam..... 1-5, 1-9, 2-2, 3-12, 3-14, 3-16, 3-18, 3-21, 3-44, 3-50, 3-71, 5-3, 5-6, 5-9, **5-18**, 5-27, 5-29, 6-4, 6-6, 6-7, 6-9

drawings *See* Appendix B1

end treatments..... 5-19

 maintenance 5-20

 restrictions 5-18

 transitions 5-19

approach length 3-19

approach rail 5-29, 7-1, 7-2, 7-4, **7-7**, 7-8, 7-9, 7-10
See also upgrading, Appendix D

approach slopes
 severity index tables *A-25, A-37, A-38*

arrestors 6-1, 6-3

attachments to barrier systems..... 5-8, **5-17**, 6-6, 6-7, 6-9

Average Annual Daily Traffic (AADT) *3-1, C1-3*

~ B ~

backslopes..... 1-7, 3-7, **4-2**
 severity index table *A-15*
 See also slopes

barrier extension length 3-21, 3-44

barrier warrants..... *See* warrants

barriers on new structures 5-8

BEAT..... *See* end treatments

benefit-cost analysis 3-7, 3-31, 4-3, 4-7
 See also Appendices C1 and D1

benefit-cost worksheet..... 3-7, **3-54**, 3-78, 3-80

bi-directional device 6-10

box beam 3-13, 3-16, 6-5, 7-9

breakaway supports 1-8, 8-5, 8-7, 8-9, 8-10

bridge barrier 1-10

bridge barrier rehabilitation 2-1, 4-2, 4-10, 5-10, 5-20, 7-11

bridge pier..... 1-8, 3-6, 3-11, 5-14, 5-17, 6-4, 6-15, **7-11**

bridge railing
 rigid 7-1, 7-9, 7-12

 transition..... 5-24

Bridge railing
 drawings *See* Appendix C2

bridges 1-1, 2-2, 3-12, 4-1, 5-8, **7-1, 9-1**, D1-2
 bridge height..... *C1-6*

Bullnose..... 1-8, 1-10, 8-6

 placement drawings *See* Appendix B5

~ C ~

Canadian Highway Bridge Design Code (CHBDC)..... 2-2

cast-in-place..... 7-10

cast-in-place concrete barrier... 3-12, 3-16, 3-21, 3-44, 5-3, 5-5, 5-26, **5-30**, 5-32

drawings *See* Appendix B6

end treatments..... 5-31

 maintenance..... 5-31

 restrictions 5-31

 transitions 5-31

CAT-350..... *See* end treatments

CHBDC *See* Canadian Highway Bridge Design Code

Clear Zone **1-8, 3-2, 3-4, 3-20**

Clear Zone documentation **3-81**

collisions..... *See* crashes

conventional lighting **8-7, 8-8**

crash cushions..... 1-4, *1-6*, 1-8, 1-9, **1-10**, 3-12, 3-20, **6-1, 6-10**

crash frequency..... 3-52, D1-5

crash severity 1-1, 1-2, 1-3, 1-4, 1-8, 1-9, **1-10**, 3-11, 3-16, 3-31, 3-50, 3-52, 3-53, 3-55, 3-58, 4-1, 8-6

 approach rail 7-9

 barrier systems..... 5-2, 5-4, 5-9, 5-22, 5-33

 ditches..... 4-6

 end treatments..... 6-1, 6-11, 6-13

 slopes 4-1, 4-2
 See also severity index (SI)

crash tests **1-8, 5-2, 5-13, 5-27, 7-2, 7-4, 7-6, 7-7, 7-11**
 not tested..... 2-1, 3-17

crashworthy **1-8, 5-27**

critical slopes 4-2
 See also slopes

crossover median collisions 1-9, 3-15, 3-16, 4-3, 5-6, 5-32

culvert inlets 4-1, 4-3

culverts 1-1, 1-9, 3-11, 3-77, 78, **4-6**
 severity index table..... *A-52*

curbs .. 1-9, 3-4, 4-1, **4-3**, 4-4, 4-5, 4-6, 5-1, 5-12, 7-2, 7-4, 7-6, 7-7, 7-8, 7-9, 8-10, 9-2, 11-2, C1-1, D1-2

cut slopes 3-4
 See also slopes

cyclists 5-1, 5-9, 7-3, **9-1**, 11-1, **11-2**

~ D ~

DCZ See Desirable Clear Zone
delineation..... 1-1
design deflection . 3-12, 3-15, 3-17, 4-9, 5-2, 5-3, 5-6, 8-5,
8-6, 8-9, 8-10, 10-1
design process..... **3-1**
Desirable Clear Zone (DCZ)..3-1, 3-3, 3-5, 3-6, 3-7, 3-15,
3-19, 3-20, 3-29, 3-31, 3-33, 3-35, 5-19
bridge piers 7-11
culverts..... 4-7
formula..... 3-28, 3-31
high mast lighting 8-9
median..... 5-6, 5-18
Modified Thrie Beam..... 5-28
Strong Post W-Beam..... 5-25
trees..... 9-2
utility poles 8-10
See also slopes
Desirable Tangent Clear Zone (DTCZ)3-3, 3-29, 3-31,
3-33
ditches.....**1-9**, 4-1, 4-6
downstream length..... 3-19, 3-81
drainage..... **1-9**, **4-1**, 4-3, 4-6, 4-7, 4-9
DTCZ..... See Desirable Tangent Clear Zone

~ E ~

economic analysis 3-7, **3-50**, 3-54, 4-2
economic factor selection 3-50
embankments 1-3, 3-7, 4-2, **4-3**, 4-9, 5-6, 6-2, 7-9
encroachment..... 1-2, 1-3, 3-50, 3-81, 5-7
arc . 3-24, 3-26, 3-34, 3-38, 3-42, 3-43, 3-47, 3-48, 3-45
frequency curves 3-52
probabilities C1-5
rate 3-50, C-3
end treatments 1-6, 1-9, **3-17**, 3-28, 5-19, 5-21, 5-23, 5-26,
5-28, 5-31, 5-32, **6-1**, 6-4
Bursting-Beam Energy Absorbing Terminal (BEAT)
.....3-18, 6-4, **6-5**
application..... **6-5**
restrictions..... **6-5**
Crash Cushion Attenuating Terminal (CAT-350)..... **6-6**
application..... 6-6
restrictions..... 6-6
ET-Plus **6-7**
application..... 6-7
restrictions..... 6-7
FLEAT (Flared Energy Absorbing Terminal) for
roadside application **6-8**

application..... 6-8
restrictions..... 6-9
FLEAT-MT for median application..... **6-8**
application..... 6-8
restrictions..... 6-9
Gravel Bed Attenuation Systems **6-16**
application..... 6-16
restrictions..... 6-16
QuadGuard..... **6-10**
application..... 6-11
maintenance 6-11
restrictions..... 6-11
Sand Barrel Systems **6-14**
application..... 6-15
restrictions..... 6-15
Trinity Attenuating Crash Cushion (TRACC)..... **6-12**
application..... 6-12
maintenance 6-13
restrictions..... 6-12
Turn Down..... 3-18, 3-19, 3-50, 3-71, 5-19, 5-23,
5-26, 5-31, 5-33, 6-4
Wing End..... 3-18, 5-19, 5-26, 5-28, 6-4
ET-Plus3-18, 3-28, 6-4, **6-7**
examples
Desirable Clear Zone 3-29, 3-31
guardrail..... 3-36, 3-65
Length of Need 3-36, 3-39, 3-45
Modified Thrie Beam..... 3-66, 3-66
non-recoverable slopes 3-31, 3-33
Roadside Safety Analysis Program (RSAP) 3-55,
3-65, 3-69
roadside safety treatments..... 3-32
runout length..... 3-36 3-39 3-45
Strong Post W-Beam 3-39 3-45
upgrading bridgerails C1-8, C1-11, C1-14, D1-7,
D1-19
Extruded Concrete Barrier 3-16, 3-21, 3-44 ,5-3, **5-30**,
5-32, 7-12
drawings..... See Appendix B6
end treatments 5-31
maintenance 5-31
restrictions 5-31
transitions..... 5-30

~ F ~

Federal Highway Administration (FHWA) 2-2, 7-1
fill slopes..... 3-4
See also slopes

fire hydrants..... **9-2**
fixed objects..... 1-1, 1-2, 3-4, 3-11, 4-1, 5-2, 5-4, 5-9, 6-1,
6-2, 6-6, 6-8, 6-11, 6-12, 6-15
severity index table..... *A-49*
flare rate..... **5-9**, 6-7
Flared Energy-Absorbing Terminal (FLEAT)..... 3-28,
5-19, 5-29, 6-4, **6-8**
application 6-8
restrictions 6-9
flexible systems 5-2, 5-3, 5-5, 5-18
flood plains 3-16, **4-9**, 5-6, 5-28
forgiving roadside..... 1-1, 3-2
fracture type breakaway supports 8-9
F-Shaped Barrier..... 3-21, 3-44, 5-3, 5-5, 5-30, 5-32, 10-1,
10-2
drawings *See Appendices B4, B6*
future paving requirements **5-10**

~ G ~

gating 1-6, 1-9, 6-2
gating systems 6-6, 6-7, 6-8, 6-14
end treatments..... 6-1
grading..... 1-3, 3-11, **4-1**, 5-1, 6-2, 6-3, 9-3
flared end treatments 3-48, 6-2
gating end treatments..... 6-2, 6-7
See also slopes
grates 4-7
Gravel Bed Attenuation Systems..... 6-4, **6-16**
guardrail... 1-9, 1-10, 3-31, 5-8, 5-27, 6-8, 7-9, 7-11, 11-2
guide post delineation drawing..... *See Appendix B5*
placement drawings *See Appendix B7*
See also examples

~ H ~

hazards. 1-9, **3-7**, 3-11, 3-19, 3-23, 3-26, 3-39, 3-46, 3-81,
4-1, 4-6, 4-7, 4-9, 4-12, 5-8, 7-11, 8-6, 8-7, 8-9, 9-2,
11-2
barrier systems..... 3-12, 3-15, 5-1, 5-4, 5-18, 5-21, 6-1,
6-4, 6-6, 6-10
bridgerails 7-6, 7-9
Clear Zone 1-2, 3-3, 3-6, 3-33
design process..... 3-1, 3-17
end treatments..... 3-37, 6-12, 6-15
Zone of Intrusion 5-12, 5-15
high mast lighting 5-14, **8-9**
High Tension Cable System .. 3-14, 3-16, 3-17, 3-18, **5-21**
barrier systems..... 5-2, 5-3, 5-5
drawings *See Appendix B2*

end treatments..... 6-4
flood plains 4-9
maintenance..... 5-22
restrictions 5-21
transitions 5-21
highway curvature *C1-4*

~ I ~

illumination **8-7**
Impact Attenuator 1-8, 6-14
Inertia Barrier 6-14
intersection
approaches ... 4-7, **4-9**, 4-10, 4-11, 4-12, 5-17, 8-9, 11-1
hazards..... 3-24, 3-26, 3-37, 3-40, 3-46

~ K ~

kinetic energy 6-10, 6-16

~ L ~

Length of Need..... 1-9, **3-19**, 3-24, 7-3
divided highways..... 3-26
documentation 3-81
end treatments..... 6-1, 6-3
mitigating strategies..... 3-12
signs..... 8-6
testing criteria 1-4
undivided highways..... 3-23
life cycle costs 3-50, 8-6
See also Appendix C1
longitudinal..... 1-1
aesthetics 11-1
barrier systems... 1-4, 1-5, 1-9, 2-1, **2-2**, 3-7, **3-12**, 3-14,
3-15, 4-4, 5-12
bridge barriers..... 2-2
Clear Zone 3-2
design deflection..... 3-17
ditches..... 4-6
hazards..... 3-11, 3-12, 4-7, 5-8
Length of Need 1-4
obstacles 3-11
performance..... 2-1
sideslopes..... 4-2
signs..... 8-5
T-intersections 11-1
work zones..... 10-1

~ M ~

mailboxes 3-11, **9-3**
 median barrier **1-8**, 1-10, 3-16, **5-1**, **5-4**, 5-5, 5-18
 median barrier warrants *See warrants*
 mitigation strategies **3-11**
 culverts 4-6
 design process 3-1
 hazards 3-7
 Modified Thrie Beam..... 1-9, 1-10, 3-12, *3-14*, 3-16, *3-17*,
 3-18, *3-21*, 3-28, *3-44*, 5-2, 5-3, 5-4, 5-5, 5-6, 5-19,
 5-26, **5-28**, *6-4*, *7-3*, *7-4*
 drawings.....*See Appendix B5*
 end treatments *3-18*, 5-28
 flare rate 5-9
 flood plains 4-9
 maintenance 5-29
 restrictions..... 5-28
 transitions..... 5-29
 Zone of Intrusion 5-14
 See also examples
 mounting height 6-3

~ N ~

NCHRP Report 350 1-4, **2-1**, 2-2, 3-12
 Alberta 6-3, *6-4*
 barriers 3-12, 5-2
 bridges..... 7-1
 end treatments ...5-19, 5-23, 5-26, 5-28, 5-31, 5-32, 6-5,
 6-6, 6-7, 6-8, 6-10, 6-12
 not tested *3-14*, *3-17*
 pedestrians and cyclists..... 9-2
 testing levels 5-3, 5-5
 work zones 10-1
 non-gating systems *1-6*, 6-10, 6-12
 end treatments 6-1
 See also gating systems
 non-recoverable slopes..... 1-8, 1-10, 3-3, 3-5, 3-6, 4-2
 See also examples, slopes

~ O ~

overhead signs.....*5-14*, **8-6**, 8-10
 support placement drawings.....*See Appendix B7*
 supports..... 1-1, 8-6

~ P ~

pedestrians 1-4, 5-1, 8-7, 8-9, 8-10, **9-1**, 11-1, **11-2**

performance levels 1-10, 2-2, **7-1**, 7-2, 7-3, 7-9, 7-12
 Bridgerail 1-5
 upgrading 7-4
 permanent bodies of water 3-7, **3-11**, **4-7**
 poles..... **8-1**
 lighting..... 1-8, *5-15*, 5-17, 8-7, 8-9
 signal..... **8-9**
 utility..... 1-1, 3-11, 8-10
 wood 3-11
 Zone of Intrusion 5-12
 precast concrete barrier. 3-12, 3-16, *3-17*, *3-21*, *3-44*, 5-1,
 5-2, 5-3, 5-5, 5-6, 5-20, 5-26, 5-27, 5-30, **5-32**, 7-12,
 10-1
 drawings.....*See Appendix B4*
 end treatments 5-32
 maintenance 5-33
 restrictions 5-32
 transitions..... 5-33
 precast concrete drawings.....*See Appendix B4*
 Present Worth Collision Costs (PWCC)..... D1-5
 PWCC.....*See Present Worth Collision Costs*

~ Q ~

QuadGuard..... *3-19*, 5-31, 5-33, *6-4*, **6-10**
 application 6-11
 maintenance 6-11
 restrictions 6-11

~ R ~

recoverable slopes..... 1-8, 1-10, 4-2, 4-7
 See also slopes
 resources 4-4, **12-1**, **12-2**
 restricted areas **11-1**
 retaining walls..... 1-1, 3-11, 3-12, **7-11**, 7-12
 rigid systems 1-4, 3-12, 3-16, 5-2, 5-3, 5-5, 5-20, 5-26,
 5-30, 8-5, 8-6
 attachments 5-17
 lighting..... 8-9
 poles..... 8-10
 transitions..... 5-19, 5-21, 5-29, 5-31, 5-33
 Zone of Intrusion 5-12, *5-14*, *5-16*, 11-2
 See also bridge railing
 roadside barriers..... **1-10**, **5-1**, **5-2**, 5-3, 7-10
 as retaining wall..... 7-11
 performance levels..... 7-1
 shy line offset..... 5-8
 transitions..... 5-19
 roadside design process *See design process*

roadside obstacle.....	3-7, 3-11	warrants	<i>See warrants</i>
<i>See also hazards</i>		<i>See also examples, slopes</i>	
Roadside Safety Analysis Program (RSAP).....	3-1, 3-50, 3-71	sidewalks	9-1, 11-2
<i>See also examples</i>		<i>See also pedestrians</i>	
RSAP	<i>See Roadside Safety Analysis Program</i>	sign post selection	8-1 , 8-2
rumble strips	5-17	sign supports.....	<i>See overhead signs</i>
applications.....	4-11	signal poles.....	<i>See poles</i>
centreline	4-12, 4-14	signs.....	8-1
milled.....	4-11 , 4-13, 4-14	placement.....	5-12
shoulder	3-1, 4-11	placement drawings.....	<i>See Appendix B7</i>
runout length.....	3-20, 3-21, 3-22, 3-23, 3-24, 3-26	sign supports.....	8-5
<i>See also examples</i>		Zone of Intrusion	5-15
		<i>See also overhead signs</i>	
~ S ~		Single Slope.....	3-12, 3-16, 3-21, 3-44, 5-2, 5-4, 5-5, 5-26, 5-29, 5-30, 5-31, 5-32, 7-2, 7-11
safety curbs.....	<i>See curbs</i>	drawings	<i>See Appendices B6, B7</i>
Sand Barrel Systems.....	6-4, 6-14	site conditions.....	1-5
applications.....	6-15	slip base.....	<i>See breakaway supports</i>
drawing.....	<i>See Appendix B5</i>	slope break point	5-6
restrictions	6-15	slopes.....	4-1
selection guidelines		backslopes	1-7
barrier systems.....	2-2 , 3-12 , 5-1	cut slopes	3-4
bridgerails.....	7-1	Desirable Clear Zone.....	3-5
economic factors.....	3-50	fill slopes	3-4
end treatments.....	3-17	grading.....	4-10
lighting.....	8-7, 8-8, 8-9	non-recoverable	1-10
RSAP.....	3-54	recoverable	1-10
severity index.....	3-52	sideslopes.....	3-7 , 4-1
sign posts	8-1 , 8-2	<i>See also sideslopes</i>	
Zone of Intrusion	5-12	transverse.....	4-3
semi-rigid systems	1-9, 4-9, 5-2, 5-3, 5-5, 5-23, 5-25, 5-28, 7-12	traversable.....	1-11
transitions	5-19, 5-31, 5-33	stiffened transitions	5-26, 5-29
severity index (SI)	1-10 , 3-52, 3-53	stopping sight distance	9-2
cost per collision.....	<i>C1-7</i>	on ramps	5-8, 5-17
tables.....	<i>See Appendix A</i>	Strong Post W-Beam	1-9, 1-10, 3-12, 3-14, 3-16, 3-17, 3-18, 3-19, 3-21, 5-25 , 7-3, 7-4
upgrading guidelines.....	D1-4	drawings	<i>See Appendix B1</i>
<i>See also Appendices A, C and D</i>		end treatments.....	3-18, 5-26, 6-4, 6-6, 6-7, 6-9
shoulder rumble strips	<i>See rumble strips</i>	flare rate.....	5-9
shy line offset	5-8, 5-9, 5-17, 7-11, 7-12, 8-6	maintenance.....	5-27
sideslopes.....	1-2, 1-3, 1-10 , 3-7 , 4-1	median	5-4, 5-5
approach	4-10	restrictions	5-25
barrier placement	5-6, 5-7	roadside	5-2, 5-3
clearance.....	4-8	transitions	5-19, 5-26, 5-28, 5-28
ditches.....	4-6	<i>See also examples</i>	
drainage	4-1	supports	
hazards.....	3-7	base-bending.....	1-8, 9-3
improvement.....	3-10	fracturing sign.....	1-4, 1-8, 8-9
severity index tables	A-3, A-13	yielding sign	1-4, 1-8, 9-3, 11-1

See also breakaway supports

~ T ~

Temporary Longitudinal Traffic Barriers 1-11
 terminals 5-19, 5-27, 6-4, 9-2
 test level 1-5, 1-6, **1-8**, **1-11**, 2-1, 3-12, 3-14, 5-30

See also NCHRP Report 350

TRACC See Trinity Attenuating Crash Cushion
 traffic barriers

severity index table A-45

traffic control devices 10-1

traffic signal 1-8, 8-9

trails 3-14, 9-1

transitions... 1-4, **1-10**, 1-11, 3-19, 4-1, 4-9, 5-3, 5-9, 5-18,
 5-19

bridge approach rails See Appendix D

bridge 2-1

design 5-21

section 1-4, 5-20, 5-26, 5-29

See also barrier systems, end treatments, Appendix B

Transitions

drawings See Appendix B6

transverse slopes 4-1, **4-3**

See also slopes

traversable slopes 1-11, 3-3, 4-2

See also slopes

trees 3-7, 3-11, **9-2**

See also hazards

Trinity Attenuating Crash Cushion (TRACC) .. 3-19, 5-31,
 5-33, 6-4, 6-12

Turn Down end treatments See end treatments

~ U ~

unanchored barrier 3-21, 3-44, 5-32

underpasses **7-12**, 7-13, 7-14

upgrading 2-1, 5-20, 7-5, 7-6, 7-7, 7-9, 7-10

costs D1-2

guidelines

bridgerail transitions See Appendix D1

bridgerails See Appendix C1

urban areas 1-5, 5-9, 7-2, 7-11, 8-10, 9-2, **11-1**, 11-2

rumble strips 4-12

utility poles See poles

~ V ~

vehicular oscillation on embankment 5-7

vehicular pocketing 1-11

vertical wall 5-30, 5-31

~ W ~

Warrant AADT D1-1, D1-6, D1-7, D1-8, D1-9, D1-19,
 D1-21, D1-22, D1-23

warrants 1-11

barriers 3-7, 3-8, 3-9

charts See Appendix D1

median barrier 3-15

sideslopes 3-8, 3-9

Water Filled Barrier 10-1

Water Filled System 10-2

Weak Post Box Beam .. 3-12, 3-13, 3-16, 3-17, 3-18, 3-50,
 5-2, 5-3, 5-4, 5-5, **5-23**, 6-4

drawings See Appendix B3

end treatments 5-23

maintenance 5-24

restrictions 5-23

transitions 5-24

Wing End Treatments See end treatments

wing walls 7-9, **7-11**

work zone 1-4, 1-5, 1-11, 5-1, **10-1**

work zone barrier 10-1

~ Z ~

Zone of Intrusion 5-8, **5-12**, 5-13, 5-14, 5-17, 7-12, 8-5,
 8-6, 8-9, 8-10, **11-2**